PENTREN

GEOMETRIC / SAME ORIENTATION



Twenty-five faceted prisms create a grid of light and shadow on white plaster.

Setting

GEOMETRY AND FORMAT

The piece



01 Front view



02 Three-quarter view

GYP-STD-015-A-01

Material	Fibre-reinforced plaster
Type	3D wall panel
Finish	Matt white · Fine mineral texture
Reference	GYP-STD-015-A-01
Format	500 × 500 mm
Total thickness	10–25 mm
Maximum relief	15 mm
Reference weight	5.19–5.62 kg
Coverage per panel	0.25 m^2
Use	Interior cladding in dry areas
Finish as supplied	Matt white, ready to prime and paint
Panels per m^2	4 panels/m^2
Repeat	One module · Same orientation

DESIGN AND CONTINUITY

Relief in the space



Cladding detail

The motif

Each motif combines an inclined central plane with four faces that slope down to the valleys of the grid. The variations between prisms give depth to a precise repeat of five by five motifs.

01 Laying

Align the grid and keep the pieces in the same orientation. Fill the joints between panels with plaster up to their perimeter profile, keeping the facets and valleys that are part of the design.

02 Joints

Joints between panels filled with plaster; keep the intentional edges and valleys of the grid.

03 Reaction to fire

In preparation: formulation intended for class A1. Collection technical data sheet and installation guide available to download from the design's web page.