RATHEN

GEOMETRIC / A/B ALTERNATING, NO ROTATION



Inclined rectangles of related proportions make up a calm, continuous relief.

Setting

GEOMETRY AND FORMAT

The piece



01 Front view



02 Three-quarter view

GYP-STD-016-A/B-01

References	GYP-STD-016-A-01, GYP-STD-016-B-01
Material	Fibre-reinforced plaster
Type	3D wall panel
Finish	Matt white · Fine mineral texture
Format	500 × 500 mm
Total thickness	10–24.37 mm
Maximum relief	14.37 mm
Reference weight	4.81–5.25 kg
Coverage per panel	0.25 m^2
Use	Interior cladding in dry areas
Finish as supplied	Matt white, ready to prime and paint
Panels per m^2	4 panels/m^2
Repeat	Two modules · A/B alternating, no rotation

DESIGN AND CONTINUITY

Relief in the space



Cladding detail

The motif

Two complementary modules link squares and rectangles of different proportions. Each plane rises gently from one of its edges; the softened corners and transitions let the light reveal the inclines.

01 Laying

Alternate A and B horizontally and repeat the same sequence in every row, without rotating the pieces. Align the profiles and fill the joints with plaster, keeping the original slopes and transitions.

02 Joints

Joints filled with plaster to form a continuous surface; keep the inclined planes and spacing of the design.

03 Reaction to fire

In preparation: formulation intended for class A1. Collection technical data sheet and installation guide available to download from the design's web page.